United States Patent and Trademark Office

Application No.: 09/474,317

Confirmation No.: 2106

Filed: December 29, 1999

Applicant: Gregg Homer

Title: System for Tracking Files Transmitted Over the Internet

Examiner: Adnan M. Mirza

Art Unit: 2145
Customer No.: 51111

Docket No.: 22292-010100
Client Ref.: Watermapping

Commissioner for Patents POB 1450 Alexandria, VA 22313-1450

Appellant's Brief in Support of Appeal Under 37 C.F.R. § 1.191

Dear Commissioner:

This is an appeal brief in support of an appeal from the final office action mailed June 16, 2005, rejecting claims 1–26.

The following items are included in this brief:

Real Party in Interest starts on page 2.

Related Appeals and Interferences starts on page 2.

Status of Claims starts on page 2.

Status of Amendment starts on page 2.

Summary of the Claimed Subject Matter starts on page 2.

Grounds of Rejected to Be Reviewed on Appeals starts on page 3.

Argument is presented starts on page 3.

Claims Appendix starts on page 10.

Evidence Appendix starts on page 17.

Related Proceedings Appendix starts on page 18.

Real Party in Interest

The real party in interest is Gregg Homer, residing at 3329 Coy Drive, Sherman Oaks, California, 91423.

Related Appeals and Interferences

Appellant is not aware of any related appeals or interferences.

Status of Claims

On November 21, 2005, appellant appealed from the final rejection of claims 1–27. A claims appendix of this appeal brief contains a copy of the pending claims.

Status of Amendments

In an after-final amendment filed on September 22, 2005, appellant amended claims 1, 7, 11, 14, 17, 20, and 22. The examiner has entered the amendments to these claims.

Summary of the Claimed Subject Matter

The present invention provides for a method for tracking the transmission of a digital file over the Internet. Packets constituting segments of the file in transit over the Internet are received. File headers in the packets are examined to determine the presence of specific identifying indicia therein. The Internet Protocol header source address for each of the packets containing the specific identifying indicia is recorded. All received packets are sent unaltered to a next Internet leg in the transmission path of the file.

The present invention also provides for a system for tracking an Internet transmission of a digital file containing identifying indicia in a file header. The system has a server, a router, and a monitor. The server receives the file. The router routes all packets comprising the file unaltered to a next Internet leg in the transmission path of the file. The monitor, which is connected between the server and the router, processes the packets constituting segments of the file. The monitor is programmed to: (1) examine file headers in the packets to determine the presence of identifying indicia therein, and (2) record the source Internet address for the file for each of the packets containing the identifying indicia.

The present invention also provides for a method for tracking the transmission of a digital file over the Internet. Identifying indicia is placed in the digital file. A data communications monitoring device captures all packets of information being transmitted via the Internet without

alteration of the captured packets. Some of the packets are examined to determine the presence of the identifying indicia in the file. The source and destination Internet addresses is recorded for each of the packets containing the identifying indicia, and the identity of the file associated therewith.

The present invention also provides for a system for tracking an Internet transmission of a digital file containing identifying indicia in a file header. The digital file comprises packets constituting segments of the file. The system has a server, a router, monitoring means, and means for recording. The server receives the file. The router routes all packets comprising the file unaltered to a next Internet leg in the transmission path of the file. The monitoring means, which are connected between the server and the router, examine file headers in the packets to determine the presence of the identifying indicia therein. The means for recording record the source Internet address for the file for each of the packets containing the identifying indicia.

The present invention also provides for a method for tracking the transmission of a digital file over the Internet by a first user to a second user. The second user receives from the first user packets constituting segments of the file in transit over the Internet. File headers in the packets are examined to determine the presence of specific identifying indicia therein. The Internet Protocol header source address is recorded for each of the packets containing the specific identifying indicia. The received packets are sent unaltered to a next Internet leg in the transmission path of the file to the second user. The identifying indicia and the source Internet address are transmitted to a third user.

Grounds of Rejection to Be Reviewed on Appeal

Claims 1–27 were rejected under 35 U.S.C. § 103(a) as being unpatentable over Gabbard (U.S. patent 6,205,432) in view of Eggleston (U.S. patent 6,101,531).

Accordingly, a first grounds of rejection to be reviewed on appeal involves whether claims 1–27 are unpatentable under 35 U.S.C. § 103(a) over Gabbard in view of Eggleston.

Argument

Argument Against First Grounds of Rejection

All claims were rejected under 35 U.S.C. § 103(a) as being unpatentable over Gabbard (U.S. patent 6,205,432) in view of Eggleston (U.S. patent 6,101,531). Appellant believes this rejection is improper for the following reasons.

No Suggestion to Combine Gabbard and Eggleston

This is no suggestion or motivation to combine Eggleston with Gabbard. The rejection is based on an improper combination in that neither reference suggests a modification nor an improvement of the system disclosed in the other reference. Eggleston is directed to filtering transmissions for the purpose of limiting usage of expensive communication paths. Gabbard is directed to a completely different purpose of inserting background references as advertisements. One having ordinary skill in the art would not expect to combine the references.

In fact, Gabbard and Eggleston *teach away* from each other. At column 4, lines 7–8, 12–15, 51–54; column 10, 29–34; abstract, and figure 8, among other locations, Gabbard describes directly or indirectly inserting advertisements in transmitted messages or postings. This is contrary to Eggleston's filtering of transmissions to reduce the usage of costly communications channels as discussed in its abstract, background (column 1), summary (column 2), and elsewhere in Eggleston.

In particular, Eggleston applies filtering to messages so that "only desired data transfers (i.e., those meeting user defined filters) are communicated over the expense-bearing networks between the remote unit and communication server." See Eggleston abstract. This is not compatible with Gabbard's "inserting into an end user communication message a background reference to an advertisement." See Gabbard abstract. While Eggleston is trying to reduce the amount of data transferred, Gabbard does *completely the opposite* action of increasing the amount of data transferred. Based on their intended purposes, this combination of references would be unworkable.

For at least this reason, claims 1–27 should be allowable.

Group 1 (Claims 1, 7, 10, 11, 14, 17, 20, 22, 27)

Claim 1 recites "sending all the received packets unaltered to a next Internet leg in the transmission path of the file."

Claim 7 recites "a router which routes all packets comprising the file unaltered to a next Internet leg in the transmission path of the file."

Claim 10 recites "means for sending the received file unaltered to a next Internet leg in the transmission path of the file."

Claim 11 recites "sending all the received packets unaltered to a next Internet leg in the transmission path of the file."

Claim 14 recites "using a data communications monitoring device to capture all packets of information being transmitted via the Internet without alteration of the captured packets."

Claim 17 recites "sending all the received packets unaltered to a next Internet leg in the transmission path of the file."

Claim 20 recites "a router for routing all packets comprising the file unaltered to a next Internet leg in the transmission path of the file."

Claim 22 recites "sending all the received packets unaltered to a next Internet leg in the transmission path of the file."

Claim 27 recites "sending the received packets unaltered to a next Internet leg in the transmission path of the file to the second user."

The combination of Gabbard and Eggleston do not show or suggest each and every recited feature of the present invention. In particular, the references do not show or suggest the recited limitations of the claims in this group.

Combination of Gabbard and Eggleston Falls Short of Claimed Invention

Even if Gabbard were combined with Eggleston, and there is no suggestion to do this for the reasons stated above, the *combination would still fall short* of the invention as recited in the claims. The combination of Gabbard and Eggleston would be a system or technique that inserts advertisements into messages and also filters messages at the same time. The filtering may be based on user-defined filters. The messages which pass through the filter would include the inserted advertisements.

During operation, some messages may not pass through because of the filtering, but a message passing through would have additional data (i.e., an inserted advertisement). The message passing through or being transmitted is *altered* compared to the original message.

Furthermore, according to the system, some messages may be *additionally altered*. At column 12, lines 7–17, Gabbard describes searching a message for the text "MIME-Version" in a header field. If the message is not in a MIME format, it is checked for attachments included within the text of the message converted into a MIME format. Messages that are not in the MIME format are converted. In addition to having an advertisement inserted, a message may be *further altered* if it is changed to a MIME format, which is *different format* from the original message.

Gabbard describes that regardless of whether the message is converted, a background reference is always inserted and thus always *altered*. See, for example, column 12, lines 31–32 which states, "Next, a MIME multipart/alternative part with HTML is added in step 510." Column 12, lines 47–48 states "a background reference insertion process is executed in step 512." See figure 4, step 312 ("Background Reference Insertion Process"); figure 5, step 418 ("Insert Background Reference"); and figure 10, step 510 ("Add a Multipart/Alternative Part"), step 512 ("Background Reference Insertion Process"). Column 11, lines 34–37 states "subsequently, as discussed above with respect to background reference insertion process 312, a background reference is inserted into the message."

As has been states, a message passing through the Gabbard and Eggleston system would be altered by an inserted advertisement. Further still, Eggleston describes *altering* some messages. See, for example, column 3, lines 21–31, which states, "A select and summary listing or index is used to provide user flexibility in reviewing and requesting otherwise filtered data. As new data is reviewed and filtered for transfer, identifying/summary information is captured for any non-qualifying data." Further, "messages passing all criteria but message size could still be received in a truncated size meeting the message size criterion." Truncating a message removes a portion of the original message before transmitting it. Thus, even when considered individually, Eggleston describes *altering* some messages from their original form.

Therefore, *Gabbard and Eggleston, considered individually or in combination, do not show or suggest transmitting messages unaltered.* For at least this reason, claims 1, 7, 10, 11, 14, 17, 20, 22, and 27 should be allowable. Claims 2–6, 8–9, 12–13, 15–16, 18–19, 21, and 23–26 are dependent claims based on these claims are should be allowable for at least the similar reasons as discussed for the claims in this group.

Some of the claims in this group include limitations discussed in other groups. These claims should be allowable for at least similar reasons as discussed in this group and for the additional reasons discussed in other groups.

Group 2 (Claims 3, 4, 18)

Claim 3 recites "transmitting said identifying indicia and said source Internet address to a proprietor of the file."

Claim 4 recites "transmitting said identifying indicia and said source Internet address to a remote site"

Claim 18 recites "transferring said identifying indicia and said source Internet address to a proprietor of the file."

The references do not show or suggest the recited limitations of the claims in this group. Gabbard and Eggleston do not teach or suggest "transmitting said identifying indicia and said source Internet address." More specifically, Eggleston describes a predetermined number of user-definable filter attributes. In particular, column 8, lines 45–50 describes:

messages passing all criteria but message size could still be received in a truncated size meeting the message size criterion. Alternatively, messages failing the author or subject filters could still be passed with header information, by setting all rejected message to be passed with a text truncation size of "0" bytes.

No identifying indicia or a source Internet address is transmitted in Eggleston. Clients in Eggleston only receive filtered information based on user defined filter attributes.

For at least this reason, the claims in this group should be allowable. Claim 19 is dependent on claim 18 and should be allowable for at least a similar reason as discussed for these claims.

Some of the claims in this group incorporate limitations of claims in other groups. These claims should be allowable for at least similar reasons as discussed in the other groups and for the additional reason discussed in this group.

Group 3 (Claims 5, 8, 12, 21)

Claim 5 recites "locating the source Internet address in an IP header for the file containing the attachment."

Claim 8 recites "locate the source Internet address in an IP header for the file containing the attachment."

Claim 12 recites "locating the source Internet address in an IP header for the file containing the attachment, when said identifying indicia is found."

Claim 21 recites "locating the source Internet address in an IP header for the file containing the attachment."

The references do not show or suggest the recited limitations of the claims in this group. Gabbard and Eggleston do not teach or suggest "locating the source Internet address in an IP header" for the file containing the attachment.

As has been discussed, Eggleston describes determining whether a message is in a conventional MIME format by searching for the message "MIME-Version" in a header field. If it is not in a MIME format, the message is converted into a MIME format. Eggleston does not teach or describe locating the source Internet address in an IP header for the file containing the attachment.

For this reason, the claims in this group should be allowable.

Some of the dependent claims in this group incorporate limitations of claims in other groups. These claims should be allowable for at least similar reasons as discussed in the other groups and for the additional reason discussed in this group.

Group 4 (Claims 6, 13, 15, 16, 23-26)

Representative claim 6 recites "said identifying indicia comprises a user-defined character sequence selected from the group consisting of," "an extension to an existing file format, prepended to the file," and "a sequence of bits embedded in the file, and an absence of code in a predefined area within the file."

See claims 13, 15, 16, and 23–26 for limitations.

The references do not show or suggest the recited limitations of the claims in this group. At column 16, lines 32–33, Gabbard describes an email message receiving steps including an external e-mail server program to determine when a new email message is available. Gabbard clearly does not teach or suggest the recited invention.

For this reason, the claims in this group should be allowable.

Some of the dependent claims in this group incorporate limitations of claims in other groups. These claims should be allowable for at least similar reasons as discussed in the other groups and for the additional reason discussed in this group.

Conclusion

For the above reasons, appellant submits that the examiner's rejections of the claims should be withdrawn, and reversal of the decision is respectfully requested.

Respectfully submitted,

Aka Chan LLP

/Melvin D. Chan/

Melvin D. Chan Reg. No. 39,626

Attachment: Claims Appendix

Evidence Appendix

Related Proceedings Appendix

Aka Chan LLP 900 Lafayette Street, Suite 710 Santa Clara, CA 95050 Tel: (408) 701-0035

Fax: (408) 608-1599

E-mail: mel@akachanlaw.com

Claims Appendix

1. A method for tracking the transmission of a digital file over the Internet comprising the steps of:

receiving packets constituting segments of the file in transit over the Internet;

examining file headers in said packets to determine the presence of specific identifying indicia therein;

recording the Internet Protocol header source address for each of the packets containing said specific identifying indicia; and

sending all the received packets unaltered to a next Internet leg in the transmission path of the file.

- 2. The method of claim 1, including the additional step of recording the Internet Protocol header destination address for the file.
- 3. The method of claim 1, including the additional step of transmitting said identifying indicia and said source Internet address to a proprietor of the file.
- 4. The method of claim 1, including the additional step of transmitting said identifying indicia and said source Internet address to a remote site.
 - 5. The method of claim 1, wherein said examining step further includes:

searching said file headers for TCP headers containing port numbers indicative of an email message;

searching each of said packets, in which port numbers indicative of email messages were found, for an attachment; and

when said attachment is found, locating the source Internet address in an IP header for the file containing the attachment.

6. The method of claim 1, wherein said identifying indicia comprises a user-defined character sequence selected from the group consisting of:

an extension to an existing file format, prepended to the file;

a sequence of bits embedded in the file; and an absence of code in a predefined area within the file.

7. A system for tracking an Internet transmission of a digital file containing identifying indicia in a file header, the system comprising:

a server which receives the file;

a router which routes all packets comprising the file unaltered to a next Internet leg in the transmission path of the file; and

a monitor, connected between said server and said router, which processes packets constituting segments of the file;

wherein said monitor is programmed to:

examine file headers in said packets to determine the presence of said identifying indicia therein; and

record the source Internet address for said file for each of the packets containing said identifying indicia.

8. The system of claim 7, wherein said monitor is further programmed to:

search said file headers for TCP headers containing port numbers indicative of email messages;

search each of said packets, in which port numbers indicative of email messages were found, for an attachment; and

locate the source Internet address in an IP header for the file containing the attachment.

9. The system of claim 7, wherein said identifying indicia comprises a user-defined character sequence selected from the group consisting of:

an extension to an existing file format, prepended to the file;

a sequence of bits embedded in the file; and

an absence of code in a predefined area within the file.

10. A system for tracking an Internet transmission of a digital file containing identifying indicia in a file header, the system comprising:

a modem which receives the file;

a server for processing the file;

a monitor, connected between said modem and said server, which processes packets constituting segments of the file; wherein said monitor is programmed to:

examine file headers in said packets to determine the presence of said identifying indicia therein; and

record the source Internet address for said file for each of the packets containing said identifying indicia; and

means for sending the received file unaltered to a next Internet leg in the transmission path of the file.

11. A method for tracking the transmission of a digital file over the Internet comprising the steps of:

receiving packets constituting segments of the file in transit over the Internet;

examining file headers in said packets to determine the presence of specific identifying indicia therein;

recording, for each of the packets containing said identifying indicia, the source Internet address for the file; and

sending all the received packets unaltered to a next Internet leg in the transmission path of the file.

12. The method of claim 11, wherein said examining step further includes:

searching said file headers for TCP headers containing port numbers indicative of email messages;

searching each of said packets, in which port numbers indicative of email messages were found, for a MIME header indicative of an attachment; and

when said MIME header indicative of an attachment is found:

searching a header directly prepended to the file to find said identifying indicia therein, when said MIME header is indicative of an attachment containing a type of said file sought: and

locating the source Internet address in an IP header for the file containing the attachment, when said identifying indicia is found.

13. The method of claim 11, wherein said identifying indicia comprises a user-defined character sequence selected from the group consisting of:

an extension to an existing file format, prepended to the file; a sequence of bits embedded in the file; and

an absence of code in a predefined area within the file.

14. A method for tracking the transmission of a digital file over the Internet comprising the steps of:

placing identifying indicia in said digital file;

using a data communications monitoring device to capture all packets of information being transmitted via the Internet without alteration of the captured packets;

examining certain ones of said packets to determine the presence of said identifying indicia in said file; and

recording the source and destination Internet addresses for each of the packets containing said identifying indicia, and the identity of the file associated therewith.

- 15. The method of claim 14, wherein said identifying indicia is prepended to said header.
- 16. The method of claim 14, wherein said identifying indicia is embedded in said file.
- 17. A method for tracking the transmission of a digital file over the Internet comprising the steps of:

receiving packets constituting segments of the file in transit over the Internet; searching said packets for TCP headers containing port numbers indicative of email messages;

searching each of said packets, in which said port numbers indicative of email messages were found, for a MIME header indicative of an attachment;

when said MIME header indicative of an attachment is found:

searching a header directly prepended to the file to locate an identifying indicia therein, when said MIME header is indicative of an attachment containing a type of said file sought;

locating a source Internet address in an IP header for the file containing the attachment containing the type of said file sought, when said identifying indicia is located; and

recording, for each of the packets containing said identifying indicia, the source Internet address for the file: and

sending all the received packets unaltered to a next Internet leg in the transmission path of the file.

- 18. The method of claim 17, including the additional step of transferring said identifying indicia and said source Internet address to a proprietor of the file.
- 19. The method of claim 18, including the additional step of transferring additional information in said file to the proprietor of the file.
- 20. A system for tracking an Internet transmission of a digital file containing identifying indicia in a file header, wherein said file comprises a plurality of packets constituting segments of the file, the system comprising:

a server for receiving the file;

a router for routing all packets comprising the file unaltered to a next Internet leg in the transmission path of the file:

monitoring means, connected between said server and said router, for examining file headers in said packets to determine the presence of said identifying indicia therein; and

means for recording the source Internet address for said file for each of the packets containing said identifying indicia.

21. The system of claim 20, wherein said monitoring means further comprises searching means for:

locating said file headers for TCP headers containing port numbers indicative of email messages;

locating each of said packets, in which port numbers indicative of email messages were found, for an attachment; and

locating the source Internet address in an IP header for the file containing the attachment.

22. A method for tracking the transmission of a digital file over the Internet comprising the steps of:

receiving packets constituting segments of the file in transit over the Internet; searching said packets for an MPEG Layer 3 header prepended to the file; searching said MPEG Layer 3 header for identifying indicia located therein, if said MPEG Layer 3 header is located;

locating the source Internet address in an IP header for the file containing said identifying indicia, if said identifying indicia is located;

recording, for each of the packets containing said identifying indicia, the source Internet address for the file; and

sending all the received packets unaltered to a next Internet leg in the transmission path of the file.

- 23. The method of claim 22, wherein said identifying indicia is located in a header having a field indicating that the frame size thereof is zero bytes in length.
- 24. The method of claim 22, wherein said identifying indicia is located in a header having a frame size field indicating that there is no information field appended to the frame size field.
- 25. The method of claim 22, wherein said identifying indicia comprises a user-defined character sequence located in the 'frame ID' and 'flags' fields of an ID3v2 frame header.
- 26. The method of claim 22, wherein said identifying indicia comprises a user-defined character sequence selected from the group consisting of:

an extension to an existing file format, prepended to the file; a sequence of bits embedded in the file; and an absence of code in a predefined area within the file.

27. A method for tracking the transmission of a digital file over the Internet by a first user to a second user comprising the steps of:

receiving from the first user packets constituting segments of the file in transit over the Internet;

examining file headers in said packets to determine the presence of specific identifying indicia therein;

recording the Internet Protocol header source address for each of the packets containing said specific identifying indicia;

sending the received packets unaltered to a next Internet leg in the transmission path of the file to the second user; and

transmitting said identifying indicia and said source Internet address to a third user.

Evidence Appendix

None

Related Proceedings Appendix

None